

# NEWCOMB SPRING CORP

Newcomb Spring of Atlanta (fax) 770•987•1703  
Newcomb Spring of California (fax) 714•995•7127  
Newcomb Spring of Canada (fax) 905•362•0256  
Newcomb Spring of Carolina (fax) 704•588•6257  
Newcomb Spring of Colorado (fax) 303•450•2908

Newcomb Spring of Connecticut (fax) 860•621•7048  
Newcomb Spring of Tennessee (fax) 423•396•2270  
Newcomb Spring of Dallas, Texas (fax) 972•406•1647

**Fax back this form to the location nearest you. A customer service representative will contact as soon as possible.**

## Compression Springs - Quote/Information Request

Please complete the following information so we can respond as quickly and accurately as possible. If you have a CAD drawing you would like to include you can fax your design, email it to [kando@newcombspring.com](mailto:kando@newcombspring.com), or email the nearest Newcomb Spring plant directly with the file attached.

### Contact Information

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Title: \_\_\_\_\_ Company: \_\_\_\_\_  
Website: \_\_\_\_\_ Email: \_\_\_\_\_  
Address: \_\_\_\_\_ City: \_\_\_\_\_  
State/Province: \_\_\_\_\_ Zip: \_\_\_\_\_ Country: \_\_\_\_\_  
Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Mobile Phone: \_\_\_\_\_

### Compression Spring Specifications

- 1) Type of Request (circle one): Request for Quote *-or-* Check Design
- 2) Measurement Units (circle one): English *-or-* Metric
- 3) Free Length (in./mm.): \_\_\_\_\_ 4) Number of Total Coils: \_\_\_\_\_ 5) Number of Active Coils: \_\_\_\_\_
- 6) Diameter Choice (circle one): Inside Diameter *-or-* Outside Diameter
- 7) Diameter Measurement (in./mm.): \_\_\_\_\_
- 8) Direction of the Helix (circle one): Left Hand *-or-* Right Hand *-or-* Optional
- 9) Size of Material (in./mm.): \_\_\_\_\_
- 10) Type of Material: \_\_\_\_\_ 11) Maximum Solid Height (in./mm.): \_\_\_\_\_
- 12) Ends (circle one):  
Closed and Ground *-or-* Closed, not Ground *-or-* Open and Ground *-or-* Open, not Ground
- 13) Finish: \_\_\_\_\_
- 14) Load 1 (lb/N): \_\_\_\_\_ 15) At Load 1 (in./mm.): \_\_\_\_\_ 16) +/- Load 2 (lb/N): \_\_\_\_\_
- 17) At Load 2 (in./mm.): \_\_\_\_\_ 18) Load 2 (lb/N): \_\_\_\_\_ 19) +/- Load 1 (lb/N): \_\_\_\_\_
- Quote Quantity #1: \_\_\_\_\_ Quote Quantity #2: \_\_\_\_\_
- Quote Quantity #3: \_\_\_\_\_ Quote Quantity #4: \_\_\_\_\_
- Part/Reference #: \_\_\_\_\_ Special Instructions & Notes: \_\_\_\_\_